## Delivered Weight Data & Equipment List

Model SR22T

Serial Number: 8949

Registration Number: N926KJ

Basic Empty Weight: 2501 lb


Total Moment/1000: 350.052

Center of Gravity: F.S.140.0

The following pages list required, standard, and optional equipment, as well as gives the weight and arm of each listed item. This listing represents the airplane and all options available at the time of delivery and does not include any equipment installed after delivery.

Note:

Not all optional equipment in this listing was installed in the above serial number airplane. Equipment listed as optional but not installed in the airplane is indicated by a hyphen (-) in the quantity column for that piece of equipment.



Each item in the listing is provided a unique number. The first two digits of the number represent the ATA or GAMA Chapter reference number. These numbers are used industry wide and in the Cirrus Design SR22T Maintenance Documentation to locate items in the Maintenance Manuals and or Parts Catalogs. The two digits following the hyphen are sequence numbers for each item in that chapter.

### Description:

This is the component, assembly, or installation name.

### Sym:

Items in this listing are coded by a symbol indicating the status of the item. These codes are:

- C Required item for FAA Certification.
- S Standard equipment. Most standard equipment is applicable to all airplanes. Some equipment may be replaced by optional equipment.
- O Optional equipment. Optional equipment may be installed in addition to or to replace standard equipment.

### Qty:

The quantity of the listed item in the airplane. A hyphen (-) in this column indicates that the equipment was not installed

#### Part Number

This is the Cirrus Design Part Number for the component, assembly, or installation

#### Unit Wt

The weight, in pounds, of one each of the listed item.

#### Arm

The arm, in inches, of the listed item.

ATA / Item Description	Sym	Qty	Part Number	Unit Wt	Arm
------------------------	-----	-----	-------------	------------	-----

# Weight and Balance Loading Form

• Note •

The Takeoff Condition Weight must not exceed 3600 lb.

The Takeoff Condition Moment must be within the Minimum Moment to Maximum Moment range at the Takeoff Condition Weight. (Refer to Moment Limits).

RELATED TABLE/FIGURE:	
For Center of Gravity Envelope, refer to Section 2: Limitations.	
Serial Num:	
Date:	
Reg. Num:	
Initials:	
auro 6 2. Maight C Dalamas Landing Farm	


Figure 6-2: Weight & Balance Loading Form

ltem	Description	Weight LB	Moment/1000
1.	Basic Empty Weight Includes unusable fuel & full oil		
2.	Front Seat Occupants Pilot & Passenger (total)		
3.	Rear Seat Occupants		
4.	Baggage Area 130 lb maximum		
5.	Zero Fuel Condition Weight Sub total item 1 thru 4 3400 lb maximum		
6.	Fuel Loading 92 Gallon @ 6.0 lb/gal. Maximum		
7.	Ramp Condition Weight Sub total items 5 and 6		
8.	Fuel for start, taxi, and run-up Normally 9 lb at average moment of 1394		
9.	Takeoff Condition Weight Subtract item 8 from item 7		

## Loading Data

Use the following chart or table to determine the moment/1000 for fuel and payload items to complete the Loading Form.

Figure 6-3: Loading Chart



Weight Fwd Pass | Aft Pass | Baggage Weight Fwd Pass Aft Pass Fuel Fuel FS 143.5 | FS 180.0 | FS 208.0 | FS 154.9 LB FS 143.5 | FS 180.0 | FS 154.9 | LB 2.9 4.2 20 3.6 3.1 300 43.1 54.0 46.5 5.7 40 7.2 8.3 6.2 320 45.9 57.6 49.6 10.8 9.3 8.6 12.5 340 60 48.861.2 52.7 80 11.5 14.4 16.6 12.4 360 51.7 55.8 64.8 100 14.4 18.020.8 15.5 380 54.5 68.4 58.9 25.0 120 17.221.6 18.6 40057.4 72.0 62.0 140 20.1 25.2 27.04\*21.7 420 60.3 75.6 65.1 23.0 24.8 160 28.8 44079.2 63.1 68.2 180 25.8 32.4 27.9 460 82.8 71.3 200 28.7 36.0 31.0 480 86.474.4 220 31.6 39.6 34.1 500 90.0 77.5 240 34.4 43.2 37.2 520 80.5 552\*\* 37.3 260 46.8 40.3 85.5

43.4

280

40.2

50.4


\*130 lb Maximum

\*\*92 U. S. Gallons Usable

## **Moment Limits**

Use the following chart or table to determine if the weight and moment from the completed Weight and Balance Loading Form (Figure 6-2) are within limits.

Figure 6-4: Moment Limits Chart



Weight LB	Moment/1000		Weight	Moment/1000		
	Minimum	Maximum	LB	Minimum	Maximum	
2200	304	326	2950	414	437	
2250	311	333	3000	422	444	
2300	318	341	3050	430	452	
2350	325	348	3100	438	459	
2400	332	356	3150	445	467	
2450	340	363	3200	453	474	
2500	347	370	3250	461	481	
2550	354	378	3300	469	489	
2600	361	385	3350	477	496	
2650	368	393	*3400	484	504	
2700	375	400	3450	494	511	
2750	383	407	3500	501	519	
2800	391	415	3550	508	526	
2850	399	422	3600	515	533	
2900	407	430				

\*NOTE: Maximum zero fuel weight.